



PRODUCT REFERENCE GUIDE

RAYMOND

ORDERPICKERS



5200 ORDERPICKER

- + 3-4 hours per day
- + Heights to 20'
- + 24 Volt
- + Case or piece picking
- + Load Capacity lbs. (kg):
3000 (1361)



5400/5500 ORDERPICKER

- + 5-8 hours per day
- + Heights to 30'
- + 24 Volt
- + Case or piece picking
- + Load Capacity lbs. (kg):
3000 (1361)



5600 ORDERPICKER

- + Multiple shifts
- + Heights up to 30'
- + 36 Volt
- + Case or piece picking
- + Load Capacity lbs. (kg):
3000 (1361)



5400/5500/5600 FURNITURE ORDERPICKER

- + Multiple shifts
- + Heights up to 30'
- + 24 & 36 Volt
- + Furniture picking
- + Load Capacity lbs. (kg):
1500 (681)

NARROW AISLE REACH-FORK® TRUCKS



7200/7300 REACH-FORK UNIVERSAL STANCE

- + 24 and 36 Volt
- + Designed for rack interface
- + Pallet storage and retrieval
- + Heights up to 25'
- + Load Capacity lbs. (kg): 2500, 3000, 3500, 4000, 4500 (1134, 1361, 1588, 1814, 2041)



7200/7300 REACH-FORK DOCKSTANCE

- + 24 and 36 Volt
- + More horizontal transportation
- + Pallet storage and retrieval
- + Heights up to 25'
- + Load Capacity lbs. (kg): 2500, 3000, 3500, 4000, 4500 (1134, 1361, 1588, 1814, 2041)



7310 4-D® REACH-FORK

- + 4-directional
- + Wide load handling up to 21.5'
- + Heights up to 22'
- + Pallet and wide load storage and retrieval
- + Load Capacity lbs. (kg): 4500 (2041)



7500 REACH-FORK TRUCK UNIVERSAL STANCE

- + Maximum throughput needs
- + Heights up to 36'
- + Designed for rack interface
- + Pallet storage and retrieval
- + Load Capacity lbs. (kg): 3200, 3500, 4500 (1451, 1588, 2041)



7500
REACH-FORK TRUCK
DOCKSTANCE

- + Maximum throughput needs
- + More horizontal transportation
- + Pallet storage and retrieval
- + Load Capacity lbs. (kg):
3200, 3500, 4500
(1451, 1588, 2041)



7700
REACH-FORK TRUCK
SIT/STAND

- + Maximum throughput needs
- + Longer horizontal transportation
- + Pallet storage and retrieval
- + Load Capacity lbs. (kg):
3200, 4500 (1451, 2041)

VERY NARROW AISLE TRUCKS



9600/9700 SWING-REACH® TRUCK

- + Very narrow aisle storage
- + Typically wire-guided applications
- + Storing and retrieving full pallets or case picking
- + Heights up to 42'
- + Load Capacity lbs. (kg):
3000 (1361)

9800 SWING-REACH® TRUCK

- + Very narrow aisle storage
- + Typically wire-guided applications
- + High level pallet handling
- + Heights up to 49'
- + Load Capacity lbs. (kg):
+ 3300 (1500)

9300/9400 SIDELOADER

- + Wide load handling up to 30'
- + 48 Volt
- + Designed for rack interface
- + Heights up to 30'
- + Load Capacity lbs. (kg):
6000, 12000 (2722, 5443)

TRANSTACKER TRT

- + Very narrow aisle storage up to 58'
- + Guided applications
- + Storing and retrieving full pallets or case picking
- + More weight to higher heights up to 58'
- + Load Capacity lbs. (kg):
4000 (1814)

COUNTERBALANCED TRUCKS



4150 STAND-UP COUNTERBALANCED

- + Frequent on/off
- + Loading/unloading trailers and containers
- + Cross-dock applications
- + Dock work
- + Load Capacity lbs. (kg):
3000, 3500 (1361, 1588)



4250 STAND-UP COUNTERBALANCED

- + Frequent on/off
- + Loading/unloading trailers and containers
- + Dock-to-stock transport
- + Attachments
- + Load Capacity lbs. (kg):
3000, 3500, 4000, 5000
(1361, 1588, 1814, 2268)



4450 3-WHEEL SIT-DOWN COUNTERBALANCED

- + Long runs
- + Infrequent on/off
- + Loading/unloading trailers
- + Dock-to-stock/staging
- + Load Capacity lbs. (kg):
3000, 3500, 4000
(1361, 1588, 1814)



4700 4-WHEEL SIT-DOWN COUNTERBALANCED

- + Long runs
- + Infrequent on/off
- + Attachments
- + Dock-to-stock/staging
- + Load Capacity lbs. (kg):
3000, 4000, 5000, 6000
(1361, 1814, 2268, 2722)

WALKIE STACKERS



6210
WALKIE STRADDLE TRUCK

- + Retail store, dock to stock and light duty applications
- + Maximize vertical storage
- + Maneuverability in tight, congested spaces
- + Load/unload trailers
- + Minimal maintenance
- + Load Capacity lbs. (kg):
2000 – 2500 (907, 1134)



RCS 20/30/40
WALKIE
COUNTERBALANCED

- + Short travel distances with need to stack 2-4 levels high
- + Wider aisle available
- + Ideal for smaller storage areas
- + Pallet storage and retrieval
- + Load Capacity lbs. (kg):
2000, 3000, 4000
(907, 1361, 1814)



RSS 22/30/40
WALKIE STRADDLE

- + Short travel distances with need to stack 2-4 levels high
- + Small aisle requirement
- + Ideal for smaller storage areas
- + Pallet storage and retrieval
- + Load Capacity lbs. (kg):
2200, 3000, 4000
(998, 1361, 1814)



RRS 30
WALKIE REACH

- + Short travel distances with need to stack 2-4 levels high
- + Small aisle requirement
- + Variety of pallet widths
- + Pallet storage and retrieval
- + Load Capacity lbs. (kg):
3000 (1361)

PALLET TRUCKS



RJ50
HAND PALLET TRUCK

- + Light weight loads
- + Intermittent duty cycles
- + On delivery trucks
- + Dock work
- + Special application models available
- + Load Capacity lbs. (kg): 5500 (2495)



8210
WALKIE PALLET TRUCK

- + Short walking distance
- + Light duty cycles
- + Retail store, wholesale delivery and food processing applications
- + Navigating in tight spaces
- + Load Capacity lbs. (kg): 4500 (2041)



8310
WALKIE PALLET TRUCK

- + Short walking distance
- + Heavy duty cycles
- + Dock work
- + Limited horizontal transport and order picking
- + Load Capacity lbs. (kg): 6000, 8000 (2722, 3629)



8410
END RIDER PALLET TRUCK

- + Longer travel distances
- + Heavy duty cycles
- + Handle multiple pallets per trip
- + Dock, horizontal transport and order picking
- + Load Capacity lbs. (kg): 6000, 8000 (2722, 3629)

PALLET TRUCKS (CONTINUED)



8510 CENTER RIDER PALLET TRUCK

- + Longer travel distances
- + Heavy duty cycles
- + Handle multiple pallets per trip
- + Horizontal transport and order picking
- + Load Capacity lbs. (kg): 6000, 8000 (2722, 3629)



8900 RIDER PALLET TRUCK

- + Longer travel distances
- + Heavy duty cycles
- + Dock, horizontal transport and order picking
- + Load Capacity lbs. (kg): 6000, 8000 (2722, 3629)



8610 TOW TRACTOR

- + Longer travel distances
- + Heavy duty cycles
- + Applications that pull carts and order picking
- + Horizontal transport and order picking
- + Load Capacity lbs. (kg): 10000, 230-450 draw bar rating (4536 104-204 draw bar rating)



3010 RAYMOND COURIER® AUTOMATED PALLET TRUCK

- + Longer, repeatable horizontal transport tasks
- + Heavy duty cycles
- + Handle multiple pallets per trip
- + Load Capacity: 8000 lbs.
- + Distribution applications including:
 - + Put-away-dock to aisle
 - + Long hauls
 - + Cross-docking
 - + Staging loads for shipping

TELEMATICS

The iWAREHOUSE® forklift fleet management and warehouse optimization system automates data-capturing of lift truck and operator data, helping you to be knowledgeable about all of your operations in order to run a fully-optimized warehouse.

iWAREHOUSE provides business intelligence to:

- Manage vehicle access and program operating parameters
- Monitor and report impacts
- Increase operational efficiency
- Improve equipment and operator productivity
- Identify trends and reduce costs
- Maximize asset utilization
- Reduce risk in the work environment

And our unique, single-view web portal, the iWAREHOUSE GATEWAY®, turns any laptop, desktop, smartphone or tablet into a management control center by providing visibility to real-time data.

Whether you're running Raymond trucks or a mixed fleet, in one warehouse or several, iWAREHOUSE has a solution to help you manage smarter. Ask your Raymond representative about these other iWAREHOUSE solutions for all of your warehouse management needs:

- iBATTERY™ industrial battery monitoring
- iTRACK® fleet and warehouse asset management
- iW Labor Management System

www.iwarehouseknows.com
1-855-IWKNOWS (1-855-495-6697)

iWAREHOUSE®

WE'VE GOT YOU COVERED

Raymond® provides world-class support tailored to meet your needs for fleet management and optimization, consistent maintenance and service—backed by our response-time guarantees, technician and operator training, and more. Our network of more than 100 Sales and Service Centers provides comprehensive packages of customized solutions, designed to help you drive down costs and run your business better and smarter.

- + Flexible financing solutions
- + Lower ownership interest rates
- + A variety of rental and leasing options
- + Certified, pre-owned lift trucks
- + Strong warranties
- + Raymond Asset Protection™ — three levels

RAYMOND

PO Box 130
Greene, New York 13778-0130

Toll free 1-800-235-7200
Fax 1-607-656-9005

www.raymondcorp.com

©2015 The Raymond Corporation
Printed in USA
SIPB-0105B 1115 JSM-12

This guide merely highlights certain features of the described products. Additional information is available from product specific brochures and your authorized Raymond Sales and Service Center. Due to continuous product improvement, specifications are subject to change without notice. Some features shown are optional at extra cost. 4-D, Raymond Courier, iWAREHOUSE, iWAREHOUSE GATEWAY, iBATTERY, iTRACK, Raymond, Raymond Asset Protection, Reach-Fork, and Swing-Reach are U.S. trademarks of The Raymond Corporation.